

United States Patent and Trademark Office

Cen

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.usplo.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/580,451	05/23/2006	Ran Kohen	7014-A06-005	4201
27317 7590 04/16/2007 FLEIT KAIN GIBBONS GUTMAN BONGINI & BIANCO 21355 EAST DIXIE HIGHWAY			EXAMINER	
			HYEON, HAE M	
SUITE 115 MIAMI, FL 33180	SUITE 115 MIAML FL 33180			PAPER NUMBER
,			2839	
SHORTENED STATUTORY PE	RIOD OF RESPONSE	MAIL DATE	DELIVERY MODE	
2 MONTUS		04/16/2007	DADED	

Please find below and/or attached an Office communication concerning this application or proceeding.

If NO period for reply is specified above, the maximum statutory period will apply and will expire 6 MONTHS from the mailing date of this communication.

	Application No.	Applicant(s)				
Office Action Summers	10/580,451	KOHEN, RAN.				
Office Action Summary	Examiner	Art Unit				
	Hae M. Hyeon	2839				
The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply						
A SHORTENED STATUTORY PERIOD FOR REPLY WHICHEVER IS LONGER, FROM THE MAILING DA - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period w - Failure to reply within the set or extended period for reply will, by statute, Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION 36(a). In no event, however, may a reply be tin rill apply and will expire SIX (6) MONTHS from cause the application to become ABANDONE	N. nely filed the mailing date of this communication. D (35 U.S.C. § 133).				
Status						
1) Responsive to communication(s) filed on 23 M						
·= · ·						
<u>,=</u>	,					
closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.						
Disposition of Claims						
4) Claim(s) <u>1-7</u> is/are pending in the application.						
4a) Of the above claim(s) is/are withdrawn from consideration.						
5) Claim(s) is/are allowed.						
6)⊠ Claim(s) <u>1-7</u> is/are rejected.						
7) Claim(s) is/are objected to.						
8) Claim(s) are subject to restriction and/or election requirement.						
Application Papers						
9)⊠ The specification is objected to by the Examiner.						
10)⊠ The drawing(s) filed on <u>23 May 2006</u> is/are: a)□ accepted or b)⊠ objected to by the Examiner.						
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).						
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).						
11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.						
Priority under 35 U.S.C. § 119						
<u> </u>						
12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of:						
1. Certified copies of the priority documents have been received.						
2. Certified copies of the priority documents have been received in Application No						
3. Copies of the certified copies of the priority documents have been received in this National Stage						
application from the International Bureau (PCT Rule 17.2(a)).						
* See the attached detailed Office action for a list of the certified copies not received.						
Attachment(s)						
Notice of References Cited (PTO-892)	(PTO-413)					
2) Notice of Draftsperson's Patent Drawing Review (PTO-948)		4) Interview Summary (PTO-413) Paper No(s)/Mail Date				
3) Information Disclosure Statement(s) (PTO/SB/08)	5) D Notice of Informal P					
Paper No(s)/Mail Date 6) Other:						

Art Unit: 2839

DETAILED ACTION

Information Disclosure Statement

1. The listing of references in the specification is not a proper information disclosure statement. 37 CFR 1.98(b) requires a list of all patents, publications, or other information submitted for consideration by the Office, and MPEP § 609.04(a) states, "the list may not be incorporated into the specification but must be submitted in a separate paper." Therefore, unless the references have been cited by the examiner on form PTO-892, they have not been considered.

Pages 1 and 3 of the present specification contain foreign patent numbers and US patent numbers.

Drawings

2. The drawings are objected to because the present drawings have reference number, lines, and figures are too dense and dark, and not uniformly thick. Therefore, some reference numbers are very difficult read.

Corrected drawing sheets in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. Any amended replacement drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. The figure or figure number of an amended drawing should not be labeled as "amended." If a drawing figure is to be canceled, the appropriate figure must be removed from the replacement sheet, and where necessary, the remaining figures must be renumbered and appropriate changes made to the brief description of the several views of the drawings for consistency. Additional replacement sheets may be necessary to show the

Application/Control Number: 10/580,451 Page 3

Art Unit: 2839

renumbering of the remaining figures. Each drawing sheet submitted after the filing date of an application must be labeled in the top margin as either "Replacement Sheet" or "New Sheet" pursuant to 37 CFR 1.121(d). If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

MPEP 37 C.F.R. 1,84(I)

(l) Character of lines, numbers, and letters. All drawings must be made by a process, which will give them satisfactory reproduction characteristics. Every line, number, and letter must be durable, clean, black (except for color drawings), sufficiently dense and dark, and uniformly thick and well-defined. The weight of all lines and letters must be heavy enough to permit adequate reproduction. This requirement applies to all lines however fine, to shading, and to lines representing cut surfaces in sectional views. Lines and strokes of different thicknesses may be used in the same drawing where different thicknesses have a different meaning.

Specification

The following guidelines illustrate the preferred layout for the specification of a utility application. These guidelines are suggested for the applicant's use.

Arrangement of the Specification

As provided in 37 CFR 1.77(b), the specification of a utility application should include the following sections in order. Each of the lettered items should appear in upper case, without underlining or bold type, as a section heading. If no text follows the section heading, the phrase "Not Applicable" should follow the section heading:

- (a) TITLE OF THE INVENTION.
- (b) CROSS-REFERENCE TO RELATED APPLICATIONS.
- (c) STATEMENT REGARDING FEDERALLY SPONSORED RESEARCH OR DEVELOPMENT.
- (d) THE NAMES OF THE PARTIES TO A JOINT RESEARCH AGREEMENT.
- (e) INCORPORATION-BY-REFERENCE OF MATERIAL SUBMITTED ON A COMPACT DISC.
- (f) BACKGROUND OF THE INVENTION.
 - (1) Field of the Invention.
 - (2) Description of Related Art including information disclosed under 37 CFR 1.97 and 1.98.
- (g) BRIEF SUMMARY OF THE INVENTION.
- (h) BRIEF DESCRIPTION OF THE SEVERAL VIEWS OF THE DRAWING(S).

Application/Control Number: 10/580,451 Page 4

Art Unit: 2839

(i) DETAILED DESCRIPTION OF THE INVENTION.

- (j) CLAIM OR CLAIMS (commencing on a separate sheet).
- (k) ABSTRACT OF THE DISCLOSURE (commencing on a separate sheet).
- (1) SEQUENCE LISTING (See MPEP § 2424 and 37 CFR 1.821-1.825. A "Sequence Listing" is required on paper if the application discloses a nucleotide or amino acid sequence as defined in 37 CFR 1.821(a) and if the required "Sequence Listing" is not submitted as an electronic document on compact disc).
- 3. The disclosure is objected to because of the following informalities: On page 6, line 2, it seems that "the face 32 of the plug 12" should be -- the face 32 of the socket 10 --.

 Appropriate correction is required.

Claim Objections

4. Claims 5 and 7 are objected to under 37 CFR 1.75(c), as being of improper dependent form for failing to further limit the subject matter of a previous claim. Applicant is required to cancel the claim(s), or amend the claim(s) to place the claim(s) in proper dependent form, or rewrite the claim(s) in independent form.

First, claim 5 recites the limitation "said first structural element" in line 2. There is insufficient antecedent basis for this limitation in the claim. Second, claim 5 only recites the intended use of the socket and the plug and does not further limit the subject matter of claim 1.

Claim 7 does not recite any limitation that further defines the instant invention.

Claim Rejections - 35 USC § 103

- 5. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person

Art Unit: 2839

having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

6. Claims 1-7 are rejected under 35 U.S.C. 103(a) as being unpatentable over Kohen (US Patent Application Publication No. 2003/0107891 A1) in view of Majors (US 6,135,800).

Kohen discloses a combination of a fixable socket 10 and a revolvable plug 12 comprising a socket 10 rigidly attached to a structure surface 16, comprising a body (not labeled) having a front face with three spaced-apart 360 degrees hollow arcuate receptacles, all having a common center of curvature, a conductive element 30 disposed in each receptacle, and a cable terminal 32 connected to each conductive element 30; a plug comprising a body having a plurality of arcuate conducting prong elements 43, a plug cable terminal 62 electrically connected to each prong element 43, a an appliance 14 mechanically and electrically connected to the plug 12 to receive power from the plug cable terminal 62; and releasable latching means 46 having a captive ball detent 72 to provide a retention force between the socket 10 and the plug 12 and to allow full disengagement of the plug 12 from the socket 10 and partial withdrawal of the plug 12 to permit revolution of the plug while maintaining contact with the socket 10. However, Kohen does not disclose a first set of radial locator element provided on the front face of the socket 10 and a second set of locator elements on a rear face of the plug 12 for retention of the plug 12 in a desired angular position relative to the socket 10.

Majors discloses an electrical connector comprising a plug 102 having a coupling ring 106 with a plurality of V-shaped notches 122 (teeth) and a contact carrier 108 having a plurality of raised bumps 136 for engaging with the V-shaped notches 122 to prevent rotational movement between the coupling ring 106 and the contact carrier 108. Although the V-shaped notches 122 and the raised bumps 136 are not in a plug and a socket, respectively, the V-shaped notches 122

Art Unit: 2839

and the raised bumps 136 of Majors solves the same problem as the claimed invention, maintaining a position of one body (coupling ring 106) respect to another body (contact carrier 108) and preventing a rotational movement between the two bodies.

It would have been obvious at the time the invention was made to a person having ordinary skill in the art to modify the connector taught by Kohen such that it would have notches and raised bumps on as taught by Majors in order to retain a plug in a desired position relative to a socket and prevent rotational movement between the plug and the socket.

Conclusion

7. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. US Patent No. 4,681,385 by Kruger et al. and US Patent Nos. 6,962,498 B2 and. 7,192,303 b2 by Kohen.

US Patent No. 2,728,895 by Quackenbush et al., US Patent No. 5,584,726 by Le Gallic et al., and US Patent No. 6,837,754 B1 by Walton disclose a plurality of teeth for retaining and preventing a rotational movement.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Hae M. Hyeon whose telephone number is 571-272-2093. The examiner can normally be reached on Mon.-Fri. (8:30-5:30).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Tulsidas C. Patel can be reached on (571) 272-2098. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/580,451

Art Unit: 2839

Page 7

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Hae M Hyeon Primary Examiner Art Unit 2839

Hae Moon Hyeon

hmh hmh